

- Locking versus non-locking miniplates in the treatment of mandibular fractures in above 35 years age patients. *Annals of PIMS-Shaheed Zulfiqar Ali Bhutto Medical University*. 2022 Jun 22;18(2):114-9.
- Post-operative scar comparison with supraorbital eyebrow and upper blepharoplasty approach in the management of zygomaticomaxillary complex fractures. *Craniomaxillofacial Trauma & Reconstruction*. 2022 Aug 30: 19433875221124406.
- Comparison of Alveolar Osteitis (AO) occurrence after impacted mandibular third molar removal with and without post-extraction socket irrigation. *Annals of PIMS-Shaheed Zulfiqar Ali Bhutto Medical University*. 2021 Nov 15;17(3):211-5.
- Developing competence in tooth extractions during undergraduate dental education—a qualitative study. *South-East Asian J Med Edu*. 2021 Dec 30;15(2). 27-33.
- Dental management of submandibular space infection in a patient with glucose-6-phosphate dehydrogenase deficiency. *HITEC Med Dent J*. 2021 October 2021; 1(1):43-5.
- Comparison of primary and secondary wound closure outcome after mandibular 3rd molar impaction surgery. *Pak Oral Dent J*. 2021 Sep 29;41(3):169-72.
- Assessment of undergraduate students in tooth extraction competence—a cohort study. *European J Dent Edu*. 2021 Aug;25(3):607-13.
- Myths and misconceptions associated with dental extractions: a cross sectional study. *Pak J Med Research*. 2021 Oct 25;60(3):137-42.
- Pattern and frequency of impacted mandibular third molars among patients reporting at Islamabad dental hospital. *Pak Oral Dent J*. 2020;40(4):225-8.
- Assessment of dental undergraduate students' skills in local anesthesia administration: a longitudinal study. *South-East Asian J Med Edu*. 2020; 14(2):117-24.
- Salivary biomarker interleukin-8 levels in naswar users and non-users. *J College Physicians Surgeons Pak*. 2020; 30(1): 99-101.
- Salivary biomarker interleukin-8 levels correlated with different parameters of naswar (smokeless tobacco) usage. *Pak Oral Dent J*. 2019; 39(1): 24-9.
- Frequency and pattern of recurrent aphthous ulcers in patients reporting to oral medicine and diagnosis department of Islamabad dental hospital. *Pak Oral Dent J*. 2019; 39(1): 30-3.
- Donor site morbidity after bone harvesting from iliac crest for maxillofacial region. *Pak Oral Dent J*. 2018;38(1):21-5.
- Outbreak of chikungunya virus in Karachi, Pakistan. *J Ayub Med Coll Abbottabad*. 2018;30(2):
- Ramsay hunt syndrome-case report. *Pak J Oral Maxfac Surg*. 2018;1:28-31.

- Frequency and etiology of zygomatic complex fractures in oral and maxillofacial trauma patients, a study done at Ayub teaching hospital, Abbottabad. *Pak Oral Dent J.* 2017;37(4):543-6.
- Awareness of dental implants among undergraduate medical and dental students: a survey study. *Pak Oral Dent J.* 2017; 37(3): 394-7.
- Salivary IL-8, IL-6 and TNF- $\alpha$  as potential diagnostic biomarkers for oral cancer. *Diagnostics.* 2017; 7(2): 21(1-10). doi:10.3390/diagnostics7020021
- Calcifying cystic odontogenic tumor. *JCPSP.* 2017; 27(9):588
- Comparison of efficacy of anesthetics for removal of palatal and buccal miniscrews. *J World Federation Orthod.* 2017;6(4):160-164.
- A survey of patient's informed consent among dental practitioners of Lahore. *Pak Oral Dent J.* 2017;37(1): 119-21.
- Optimal and efficient management of mandibular fracture. *PODJ.* 2017;35(2): 198-203.
- Comparison of primary and secondary closure of the wound after surgical removal of impacted mandibular third molar on postoperative pain and swelling. *KJMC.* 2017; 1: 23-7.
- Comparison of two surgical techniques for the removal of partially impacted mandibular third molars. *JSMC.* 2017; 7:52-7.
- Morphological changes in dental pulp with different depths of tooth preparations. *JUCMD.* 2017; 3(8): 24-33.
- Significance and diagnostic role of antimicrobial cathelicidins (IL-37) peptides in oral health. *Biomolecules.* 2017; 7(4): 80(1-11). doi:10.3390/biom7040080
- Role of salivary biomarkers in detection of cardiovascular diseases (CVD). *Proteomes.* 2017; 5(3): 21(1-6). doi:10.3390/proteomes5030021
- Morphological changes in dental pulp with different depths of tooth preparation. *JUMDC.* 2017; 8(3): 24-33.
- Pattern of medical conditions among patients attending oral and maxillofacial surgery over a period of one year. *JIMDC.* 2016; 5(1):26-9.
- Frequency of type traits of mandibular second premolars: a study. *Pak Oral Dent J.* 2016; 36(3). 430-2.
- Oral submucous fibrosis: comparison of different treatment modalities. *Pak Oral Dent J.* 2015; 35(3): 364-9.
- Awareness and compliance about forensic dentistry among dental professionals of twin cities of Rawalpindi-Islamabad: a questionnaire based study. *Pak Oral Dent J.* 2014; 34(2): 277-80.
- Impacted third molar extractions-are we following any recommended guidelines. *Pak Oral Dent J.* 2014; 34(3). 426-8.

- Comparison of silastic and acrylic interpositioning for the treatment of temporomandibular joint ankylosis. Pak Oral Dent J. 2013; 33(3): 418-22.
- Clinical audit and performance measurement in a newly established service of oral and maxillofacial surgery. Pak Oral Dent J. 2013; 33(3). 446-8.
- Accuracy of Pederson and modified Parant scale for predicting difficulty level of mandibular third molars. Archives of Orofacial Sciences. 2013; 8(1):9-13.
- The incidence and indications for removal of osteosynthesis devices in adult trauma patients: a retrospective study. Ann Pak Inst Med Sci. 2012; 8(3): 179-82.
- Learning preferences of dental students at Islamabad medical & dental college. Pak Oral Dent J. 2012; 32(2): 326-9.
- Compound odontoma causing impaction of mandibular canine: a case report. POJ. 2011; 3(1): 25-31.
- Myositis ossificans traumatica of lateral and medial pterygoid muscles: A case report. Pak Oral Dent J. 2011; 31(1): 55-9.
- An assessment of maxillofacial injuries: A 5-year study of 2112 patients. Ann Pak Inst Med Sci. 2010; 6(2): 113-5.
- Nevroid basal cell carcinoma syndrome: Report of a case and review of the literature. International Journal of Pathology; 2008; 6(1): 40-2.
- The role of peripheral glycerol injection in the treatment of idiopathic trigeminal neuralgia. Ann Pak Inst Med Sci. 2007; 3(1): 16-20.